

**The Ideal once
daily preparation**

Askanerv™

Alpha-Lipoic Acid - 200 mg + Methylcobalamin - 1500 mcg + Selenium - 100 mcg +
Vitamin B1 - 10 mg + Vitamin B6 - 3 mg + Folic Acid - 1.5 mg Capsules

- Peripheral neuropathy
- Diabetic neuropathy
- Alcohol neuropathy
- Drug induced neuropathy
- Dementia



Once daily

ASKLEPIOS REMEDIES (P) L. TD.
(An ISO 9001:2015 & GMP Certified Company)



ASKA

C A P

ALPHA LIPOIC ACID

AN IDEAL ANTI-OXIDANT THAT

- Scavenges large varieties of FREE RADICALS
- Is easily absorbed and readily available in the body
- Concentrates in tissues, cells and extra cellular fluids
- Penetrates in water component as well as fat component of the body
- Performs anti-oxidant activity for both Oxidized and Reduced forms
- Regenerates other Anti-oxidants like Vitamin C & Vitamin E

Alpha Lipoic Acid is highly useful and recommended in many disorders like

- Diabetic-Neuropathy and Nephropathy
- Cardiac disorders including Atherosclerosis
- Cataract
- Ageing and other Neurological Disorders

Dose : 100 to 300 mg per day preferably in empty stomach

INDICATIONS

- Complications of Diabetes, Atherosclerosis, Alzheimer's, Parkinson's, Cataract and patient on Radiotherapy
- Ageing

Contra-indications :

- No contra-indication reported so far

Drug interactions

- No drug interactions reported so far

Adverse Effect

- Rare side effects such as skin rash, reduced absorption of iron and other minerals, Hypoglycemia in patients taking hypoglycemic agents may occur.

PYRIDOXINE

- Convulsive seizure is occasionally, observed when Vitamin B₆ is deficient. Pyridoxine deficiency leads to decreased concentration of the neurotransmitter. Peripheral neuritis has also been reported with carpal synovial swelling and tenderness (Carpal tunnel syndrome) in Pyridoxine deficiency.

INNERV

S U L E S

METHYLCOBALAMIN

Mecobalamin is one of the active co-enzyme form of Vitamin B₁₂ required for Vitamin B₁₂ dependent enzyme function. it acts as methyl donor for the synthesis of Lecithin, a major component of MYELIN SHEATH.

Mecobalamin has the capability of preventing or treating :

- Diabetic Neuropahty
- Peripheral Neuropathy
- Optical Neuropathy
- Parkinson's Disease
- Muscular Dystrophy
- Neurological Ageing
- Other Neurological Disorders

MODE OF ACTION

- High doses of Mecobalamin is needed to regenerate myelin sheath that protects Axons and Peripheral Nerves and thus helps in efficient conduction of nerve impulses,
- It improves excitability of nerve fibres, that improves Neurotransmission
- It dramatically improves facial nerve function in Bell's Palsy
- It inhibits proliferation of malignant cells.

INDICATIONS :

- Neuropathy of various origin

Dose : 1500 mcg. per day.

Safety & Toxicity :

- It has excellent tolerability and no known toxicity

Side Effects :

- Rarely loss of appetite, Nausia, Diarrhoea or other GI upset observed

SELENIUM DIOXIDE


- Selenium is a trace mineral found in soil, water and some foods. It is an essential element in several metabolic pathways, including the glutathione-peroxidase pathway.
- Selenium is a component of glutathione peroxidase, which possesses antioxidant activity, and demonstrates antioxidant properties in humans.

THIAMINE

The major symptoms of Thiamine deficiency are related to the nervous systems (dry beriberi) lack of initiative, and poor memory also may result from lack of this vitamin

FOLIC ACID

Folic Acid is 5-methyltetra-hydrochloride (5-CH₃-THF) by the help of co-enzyme Mecobalamin which is converted to tetrahydrofolate (THF), required for DNA synthesis and at the same time converts homocysteine to methionine



REFERENCES :

1. Jalaudin MA, "Mecobalamin treatment of Bell's Palsy" - Methods, Find Exp Clin Pharmacology 1995, 17 : 539-544
2. Yaqub BA, Siddique A, Sulimani R, "Effects of Mecobalamin on Diabetic Neuropathy" Clin Neurol Neurosurg, 1992; 94 : 105-111
3. Kikuchi M, Koshii S, Honda Y et al "Protective effects of Mecobalamin against neurotoxicity in Retinal cell culture - Invest ophthalmol vis sci 1997; 38 : 848-854
4. Packer L, Tritschler HJ, wessel K - Neuroprotection by Metabolic autoxidant Alpha Lipoic Acid - Free Radic - Biol - Med. 1997. 22 (1-2) 359-78
5. Rajjanovic M, G. Reichel, K. Rett, M Lobisch, K, Schuette, W, Moller HJ Tritschler Hmehnert 1999- 'Treatment of diabetic polly Neuropathy with Alpha Lipoic Acid-a Two Year Multicentre Randomised double blind Placebo controlled trial (ALADIN - 2) Alpha Lipoic Acid in Diabetic Neuropathy "Free Radic Res 31 (3), 171-9.
6. Ziegler, D., & FA Gries (1997) Alpha Lipoic Acid in the treatment of diabetic paripheral and Cardial Autonomic Neuropathy Diabes 46 Suppt 2 : 562-6

...A Dependable Nerve Tonic

For further information please write to :

ASKLEPIOS REMEDIES (P) LTD.

(An ISO 9001 : 2008 & GMP Certified Company)

Rukanpura, Bailey Road, Patna - 800014.

E-mail : asklepiosremedies@yahoo.com